

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	67397	(pattern or object) near2 (recogniz\$6 or match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:01
L2	11009	(Fourier or fourior or sine or cosine) with series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:07
L3	372	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:02
L4	33	1 same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 10:02
L5	6037	(Fourier or fourior or sine or cosine) near3 series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:35
L6	194	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:00
L7	8978426	@ad>"19971224" not (continuation or provision\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:36
L8	162	6 not 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 13:20

L9	32	6 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:54
L18	14	1 same 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:00
L19	4445	(Fourier or fourior or sine or cosine) adj2 series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:08
L20	1242	(Fourier or fourior or sine or cosine) adj2 space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:08
L21	6041	frequency adj2 space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:23
L22	48	(coded or encoded or encrypted or embedded) near4 (19 or 20 or 21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25
L23	147	(coded or encoded or encrypted or embedded) with (19 or 20 or 21)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25
L24	473595	associative or association	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25

L25	16	23 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:25
L26	10	23 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 15:36



Search Session History

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Fri, 9 Dec 2005, 4:18:01 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <paragraph> (fourier <phrase> (space or series))) <in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

11

#2 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <paragraph> (associative <or> association))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

280

#3 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <paragraph> (associative <or> association) <and> (fourier <or> fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

0

#4 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <and> (associative <or> association) <and> (fourier <or> fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

3

#5 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <and> (associative <or> association) <and> (fourier <or> fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

3

#6 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <and> (associative <or> association) <and> (fourier <or> fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

3

#7 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <and> (associative <or> association) <and> (fourier <or> fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997)

3

#8 ((((((pattern <or> object) <phrase> (match* <or> recogni*) <phrase> (associative <or> association))<in>metadata)) <and>

0

(pyr >= 1951 <and> pyr <= 1997)

(((((pattern <or> object) <phrase> (match* <or> recogni*)))
<and> (associative <or> association))<in>metadata)) <and>
(pyr >= 1951 <and> pyr <= 1997)

#9

287

(((((pattern <or> object) <phrase> (match* <or> recogni*)))
<and> (associative <or> association) <and> frequency
<phrase> space)<in>metadata)) <and> (pyr >= 1951 <and> pyr
<= 1997)


#10

0

(((((pattern <or> object) <phrase> (match* <or> recogni*)))
<and> (associative <or> association) <and> frequency
<phrase> space)<in>metadata)) <and> (pyr >= 1951 <and> pyr
<= 1997)

#11

0





Fri, 9 Dec 2005, 4:59:06 PM EST

Search Query Display



Recent Search Queries

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

- | | |
|------------|--|
| <u>#1</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<paragraph> (fourier <phrase> (space or series)))
<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#2</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<paragraph> (associative <or> association))<in>metadata))
<and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#3</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<paragraph> (associative <or> association) <and> (fourior <or>
fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#4</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association) <and> (fourior <or>
fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#5</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association) <and> (fourior <or>
fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#6</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association) <and> (fourior <or>
fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#7</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association) <and> (fourior <or>
fourier))<in>metadata)) <and> (pyr >= 1951 <and> pyr <= 1997) |
| <u>#8</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<phrase> (associative <or> association))<in>metadata)) <and>
(pyr >= 1951 <and> pyr <= 1997) |
| <u>#9</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association))<in>metadata)) <and>
(pyr >= 1951 <and> pyr <= 1997) |
| <u>#10</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association) <and> frequency
<phrase> space)<in>metadata)) <and> (pyr >= 1951 <and> pyr
<= 1997) |
| <u>#11</u> | ((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (associative <or> association) <and> frequency
<phrase> space)<in>metadata)) <and> (pyr >= 1951 <and> pyr
<= 1997) |

- [illegible]

- [illegible]

<and> (pyr >= 1951 <and> pyr <= 1997)

#41 (((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (fourier <or> fourior) <phrase> series)<in>metadata))
<and> (pyr >= 1951 <and> pyr <= 1997)

#42 (((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (fourier <or> fourior) <phrase> series)<in>metadata))
<and> (pyr >= 1951 <and> pyr <= 1997)

#43 (((((pattern <or> object) <phrase> (match* <or> recogni*))
<and> (fourier <or> fourior) <phrase> series)<in>metadata))
<and> (pyr >= 1951 <and> pyr <= 1997)

#44 (((((association <or> associative) <and> (fourier <or> fourior)
<phrase> series)<in>metadata)) <and> (pyr >= 1951 <and> pyr
<= 1997)

#45 (((((association <or> associative) <and> (fourier <or> fourior)
<phrase> series)<in>metadata)) <and> (pyr >= 1951 <and> pyr
<= 1997)



indexed by
inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -